Ultramicroscopy 25 (1988) 355–357
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 25

Aebi, U., see Stemmer 25 (1988) 171
Anders, M., M. Mück and C. Heiden, SEM/STM combination for STM tip guidance 25 (1988) 123
Anselmetti, D., see Wiesendanger 25 (1988) 129
Ashida, M., see Yanagi 25 (1988) 1

Baratoff, A., see Stoll 25 (1988) 149
Barshatzky, H., see Betzig 25 (1988) 155
Baumeister, W., Preface 25 (1988) 99
Baumeister, W., Tip microscopy – top microscopy? An introduction 25 (1988) 103
Baumeister, W., see Guckenberger 25 (1988) 111
Berger, S.D., McMullan 25 (1988) 349
Betzig, E., M. Isaacson, H. Barshatzky, A. Lewis and K. Lin, Super-resolution imaging with near-field scanning optical microscopy (NSOM) 25 (1988) 155
Breu, H., see Guckenberger 25 (1988) 111
Brunegger, A., see Hofer 25 (1988) 81
Buckett, M.I., see Strane 25 (1988) 253

Carazo, J.M. and J. Frank, Three-dimensional matching of macromolecular structures obtained from electron microscopy: an application to the 70S and 50S *E.coli* ribosomal particles 25 (1988) 13
Carpenter, R.W., see Skiff 25 (1988) 47
Castaño, V., see Pérez-Ramírez 25 (1988) 41
Cazaux, J., J. Chazelas, M.N. Charasse and J.P. Hirtz, Line resolution in the sub-tennanometer range in SAM 25 (1988) 31
Charasse, M.N., see Cazaux 25 (1988) 31
Chazelas, J., see Cazaux 25 (1988) 31

Datye, A.K. and N.J. Long, The use of nonporous oxide particles for imaging the shape and structure of small metal crystallites in heterogeneous catalysts 25 (1988) 203
Dietz, P. and K.-H. Herrmann, A compact scanning tunneling microscope 25 (1988) 107
Düggelin, M., see Wiesendanger 25 (1988) 129

Eng, L., see Wiesendanger 25 (1988) 129
Engel, A., see Stemmer 25 (1988) 171

Frank, J., see Carazo 25 (1988) 13

Gatz, R., see Guckenberger 25 (1988) 111
Gelfand, M.S., see Goncharov 25 (1988) 317
Golob, P., see Hofer 25 (1988) 81
Gómez, A., see Pérez-Ramírez 25 (1988) 41
Goncharov, A.B. and M.S. Gelfand, Determination of mutual orientation of identical particles from their projections by the moments method 25 (1988) 317
Gribeluk, M.A., see Vasiliev 25 (1988) 23
Guckenberger, R., C. Kösslinger, R. Gatz, H. Breu, N. Levai and W. Baumeister, A scanning tunneling microscope (STM) for biological applications: design and performance 25 (1988) 111
Guggenheim, R., see Wiesendanger 25 (1988) 129
Güntherodt, H.-J., see Wiesendanger 25 (1988) 129

Harada, Y., see Mori 25 (1988) 195
Häring, R., see Stemmer 25 (1988) 171
Heiden, C., see Anders 25 (1988) 123
Heinzelmann, H., see Wiesendanger 25 (1988) 129
Herrmann, K.-H., see Dietz 25 (1988) 107
Hidber, H.R., see Wiesendanger 25 (1988) 129
Higgs, A., see Skiff 25 (1988) 47
Hirtz, J.P., see Cazaux 25 (1988) 31
Hobbib, W.M., see Nelson 25 (1988) 293
Hofer, F., P. Golob and A. Brunegger, EELS quantification of the elements Sr to W by means of M_{45} edges 25 (1988) 81
Hovmöller, S., see Wang 25 (1988) 303
Hutchison, J.L. and W.G. Waddington, Atomic images of silicon? 25 (1988) 93

Ilyichev, E.A., see Vasiliev 25 (1988) 23
Isaacson, M., see Betzig 25 (1988) 155

José-Yacamán, M., see Pérez-Ramírez 25 (1988) 41

Kambe, K., Anomalous reflected images of objects on crystal surfaces in reflection electron microscopy 25 (1988) 259
Katoh, T., see Mori 25 (1988) 195
Kestel, B.J., Technique for jet-thinning aged iron–chromium alloys for TEM 25 (1988) 89
Kestel, B.J., Technique for preparation of TEM foils for two-phase uranium silicide 25 (1988) 91
Kestel, B.J., Jet thinning of $YBa_2Cu_3O_x$ high T_c superconductor and also gold for TEM with a non-acid electrolyte 25 (1988) 351
Kihlborg, L., see Wang 25 (1988) 303
Kiselev, N.A., see Vasiliev 25 (1988) 23
Kösslinger, C., see Guckenberger 25 (1988) 111

Kruit, P. and J.A. Venables, High-spatial-resolution surface-sensitive electron spectroscopy using a magnetic parallelizer 25 (1988) 183

Levai, N., see Guckenberger 25 (1988) 111
Lewis, A., see Betzig 25 (1988) 155
Li, F.H., see Tang 25 (1988) 61
Lin, K., see Betzig 25 (1988) 155
Lin, S.H., see Skiff 25 (1988) 47
Liu, D.R., Observation of dynamic extinction from high-order Laue zones by convergent beam electron diffraction 25 (1988) 35
Long, N.J., see Datye 25 (1988) 203
Lu, P. and D.J. Smith, Simulations for surface profile imaging 25 (1988) 265
Luzzi, D.E., see Strane 25 (1988) 253

Maeda, S., see Yanagi 25 (1988) 1
Marks, L.D., Linear imaging and diffraction of an amorphous film 25 (1988) 85
Marks, L.D., see Strane 25 (1988) 253
McMullan, D. and S.D. Berger Bright-field detection in a STEM having parallel EELS recording 25 (1988) 349
Mihama, K., see Tanaka 25 (1988) 241
Miyahara, J., see Mori 25 (1988) 195
Mori, N., T. Oikawa, T. Katoh, J. Miyahara and Y. Harada, Application of the "imaging plate" to TEM recording 25 (1988) 195
Mück, M., see Anders 25 (1988) 123

Nagao, M., see Tanaka 25 (1988) 241
Neddermeyer, H. and St. Tosch, Scanning tunneling spectroscopy on Si 25 (1988) 135
Nelson, A.C. and W.M. Hobbib, Microtomography from limited projections in conventional TEM for 3D reconstruction of an intact cell 25 (1988) 293
Nguyen, L., see Pradère 25 (1988) 69

Oikawa, T., see Mori 25 (1988) 195

Pérez-Ramírez, J.G., A. Gómez, V. Castaño and M. José-Yacamán, The use of digital side-band image processing to produce topographic contrast 25 (1988) 41
Pradère, P., J.F. Revol, L. Nguyen and R. St. John Manley, Lattice imaging of poly-4-methyl-pentene-1 single crystals; use and misuse of Fourier averaging techniques 25 (1988) 69
Provencher, S.W. and R.H. Vogel, Three-dimensional reconstruction from electron micrographs of disordered specimens. I. Method 25 (1988) 209
Provencher, S.W., see Vogel 25 (1988) 223

Reichelt, R., see Stemmer 25 (1988) 171
Revol, J.F., see Pradère 25 (1988) 69
Rez, P., see Weng 25 (1988) 345
Rickel, M.O., see Vasiliev 25 (1988) 23
Rodenburg, J.M., Properties of electron microdiffraction patterns from amorphous materials 25 (1988) 329
Rosenthaler, L., see Wiesendanger 25 (1988) 129

Skiff, W.M., R.W. Carpenter, S.H. Lin and A. Higgs, K, L, M, N, O and P ionization cross-sections for electron energy loss spectroscopy 25 (1988) 47
Smith, D.J., see Lu 25 (1988) 265
Spence, J.C.H., A scanning tunneling microscope in a side-entry holder for reflection electron microscopy in the Philips EM400 25 (1988) 165
St. John Manley, R., see Pradère 25 (1988) 69
Staufer, U., see Wiesendanger 25 (1988) 129
Stemmer, A., A. Engel, R. Häring, R. Reichelt and U. Aebi, Miniature-size scanning tunneling microscope with integrated 2-axes heterodyne interferometer and light microscope 25 (1988) 171
Stoll, E. and A. Baratoff, Restoration and pictorial representation of scanning-tunneling-microscope data 25 (1988) 149
Strane, J., L.D. Marks, D.E. Luzzi, M.I. Buckett, J.P. Zhang and B.W. Wessels, Encapsulation, diffusion and DIET in the electron microscope 25 (1988) 253
Sundberg, M., see Wang 25 (1988) 303

Tanaka, N., M. Nagao and K. Mihama, High resolution electron microscopy of composite films of gold and magnesium oxide 25 (1988) 241
Tang, D. and F.H. Li, A method of image restoration for pseudo-weak-phase objects 25 (1988) 61
Tosch, St., see Neddermeyer 25 (1988) 135
Toyoshima, C. and N. Unwin, Contrast transfer for frozen-hydrated specimens: determination from pairs of defocused images 25 (1988) 279
Tsebro, V.I., see Vasiliev 25 (1988) 23

Ueda, Y., see Yanagi 25 (1988) 1
Unwin, N., see Toyoshima 25 (1988) 279
Uvarov, O.V., see Vasiliev 25 (1988) 23

Vasiliev, A.L., O.V. Uvarov, M.A. Gribeluk, N.A. Kiselev, M.O. Rickel, E.A. Ilyichev and V.I. Tsebro, HREM of thin film $PbMo_6S_8$ superconducting compound 25 (1988) 23
Venables, J.A., see Kruit 25 (1988) 183
Vogel, R.H., see Provencher 25 (1988) 209
Vogel, R.H. and S.W. Provencher, Three-dimensional reconstruction from electron micrographs of disordered specimens. II. Implementation and results 25 (1988) 223

Waddington, W.G., see Hutchison 25 (1988) 93
Wang, D.N., S. Hovmöller, L. Kihlborg and M. Sundberg, Structure determination and correction for distortions in HREM by crystallographic image processing 25 (1988) 303
Weng, X. and P. Rez, Solid state effects on core electron cross-sections used in microanalysis 25 (1988) 345
Wessels, B.W., see Strane 25 (1988) 253
Wiesendanger, R., D. Anselmetti, L. Eng, H. Heinzelmann, H.R. Hidber, L. Rosenthaler, U. Staufer, H.-J. Güntherodt, M. Düggelin and R. Guggenheim, Scanning tunneling and scanning electron microscopy investigations of nonuniform surfaces 25 (1988) 129

Yanagi, H., S. Maeda, Y. Ueda and M. Ashida, Direct structure determination of the octacyanophthalocyanine–potassium complex crystal by HREM image simulation 25 (1988) 1

Zhang, J.P., see Strane 25 (1988) 253

Ultramicroscopy 25 (1988) 358–360
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 25

Analytical microscopy
Direct structure determination of the octacyanophthalocyanine-potassium complex crystal by HREM image simulation, *Yanagi, Maeda, Ueda and Ashida* 25 (1988) 1
Three-dimensional matching of macromolecular structures obtained from electron microscopy; an application to the 70S and 50S *E. coli* ribosomal particles, *Carazo and Frank* 25 (1988) 13
Solid state effects on core electron cross-sections used in microanalysis, *Weng and Rez* 25 (1988) 345

Conventional electron microscopy
Microtomography from limited projections in conventional TEM for 3D reconstruction of an intact cell, *Nelson and Hobbib* 25 (1988) 293

Cross-sections
K, L, M, N, O and P ionization cross-sections for electron energy loss spectroscopy, *Skiff, Carpenter, Lin and Higgs* 25 (1988) 47
Solid state effects on core electron cross-sections used in microanalysis, *Weng and Rez* 25 (1988) 345

Diffraction and optical diffraction
Observation of dynamic extinction from high-order Laue zones by convergent beam electron diffraction, *Liu* 25 (1988) 35
Linear imaging and diffraction of an amorphous film, *Marks* 25 (1988) 85
Properties of electron microdiffraction patterns from amorphous materials, *Rodenburg* 25 (1988) 329

Electron energy loss spectroscopy
K, L, M, N, O and P ionization cross-sections for electron energy loss spectroscopy, *Skiff, Carpenter, Lin and Higgs* 25 (1988) 47
EELS quantification of the elements Sr to W by means of M_{45} edges, *Hofer, Golob and Brunegger* 25 (1988) 81
Bright-field detection in a STEM having parallel EELS recording, *McMullan and Berger* 25 (1988) 349

High resolution
Direct structure determination of the octacyanophthalocyanine-potassium complex crystal by HREM image simulation, *Yanagi, Maeda, Ueda and Ashida* 25 (1988) 1
HREM of thin film $PbMo_6S_8$ superconducting compound, *Vasiliev, Uvarov, Gribeluk, Kiselev, Rickel, Ilyichev and Tsebro* 25 (1988) 23
Super-resolution imaging with near-field scanning optical microscopy (NSOM), *Betzig, Isaacson, Barshatzky, Lewis and Lin* 25 (1988) 155
High-spatial-resolution surface-sensitive electron spectroscopy using a magnetic parallelizer, *Kruit and Venables* 25 (1988) 183
High resolution electron microscopy of composite films of gold and magnexium oxide, *Tanaka, Nagao and Mihama* 25 (1988) 241
Structure determination and correction for distortions in HREM by crystallographic image processing, *Wang, Hovmöller, Kihlborg and Sundberg* 25 (1988) 303

Image processing, 3D reconstruction
Direct structure determination of the octacyanophthalocyanine-potassium complex crystal by HREM image simulation, *Yanagi, Maeda, Ueda and Ashida* 25 (1988) 1
Three-dimensional matching of macromolecular structures obtained from electron microscopy; an application to the 70S and 50S *E. coli* ribosomal particles, *Carazo and Frank* 25 (1988) 12
The use of digital side-band image processing to produce topographic contrast, *Pérez-Ramirez, Gómez, Castaño and José-Yacamán* 25 (1988) 12
A method of image restoration for pseudo-weak-phase objects, *Tang and Li* 25 (1988) 61
Restoration and pictorial representation of scanning tunneling microscope data, *Stoll and Baratoff* 25 (1988) 149
Three-dimensional reconstruction from electron micrographs of disordered specimens. I. Method, *Provencher and Vogel* 25 (1988) 209
Three-dimensional reconstruction from electron micrographs of disordered specimens. II. Implementation and results, *Vogel and Provencher* 25 (1988) 223
Simulations for surface profile imaging, *Lu and Smith* 25 (1988) 265
Contrast transfer for frozen-hydrated specimens: determination from pairs of defocused images, *Toyoshima and Unwin* 25 (1988) 12

Microtomography from limited projections in conventional TEM for 3D reconstruction of an intact cell, *Nelson and Hobbib* 25 (1988) 293
Structure determination and correction for distortions in HREM by crystallographic image processing, *Wang, Hovmöller, Kihlborg and Sundberg* 25 (1988) 303
Determination of mutual orientation of identical particles from their projections by the moments method, *Goncharov and Gelfand* 25 (1988) 317

Imaging
Lattice imaging of poly-4-methyl-pentene-1 single crystals; use and misuse of Fourier averaging techniques, *Pradére, Revol, Nguyen and Manley* 25 (1988) 69
Linear imaging and diffraction of an amorphous film, *Marks* 25 (1988) 85
Atomic images of silicon? *Hutchison and Waddington* 25 (1988) 93
Super-resolution imaging with near-field scanning optical microscopy (NSOM), *Betzig, Isaacson, Barshatzky, Lewis and Lin* 25 (1988) 155
Application of the "imaging plate" to TEM recording, *Mori, Oikawa, Katoh, Miyahara and Harada* 25 (1988) 195
The use of nonporous oxide particles for imaging the shape and structure of small metal crystallites in heterogeneous catalysts, *Datye and Long* 25 (1988) 203
Simulations for surface profile imaging, *Lu and Smith* 25 (1988) 265

Instrumentation
A compact scanning tunneling microscopy, *Dietz and Hermann* 25 (1988) 107
A scanning tunneling microscope (STM) for biological applications: design and performance, *Guckenberger, Kösslinger, Gatz, Breu, Levai and Baumeister* 25 (1988) 111
SEM/STM combination for STM tip guidance, *Anders, Mück and Heiden* 25 (1988) 123
A scanning tunneling microscope in a side-entry holder for reflection electron microscopy in the Philips EM 400, *Spence* 25 (1988) 165
Miniature-size scanning tunneling microscope with integrated 2-axes heterodyne interferometer and light microscope, *Stemmer, Engel, Häring, Reichelt and Aebi* 25 (1988) 171
High-spatial-resolution surface-sensitive electron spectroscopy using a magnetic parallelizer, *Kruit and Venables* 25 (1988) 183

Methods and techniques
The use of digital side-band image processing to produce topographic contrast, *Pérez-Ramirez, Gómez, Castaño and José-Yacamán* 25 (1988) 41
Lattice imaging of poly-4-methyl-pentene-1 single crystals; use and misuse of Fourier averaging techniques, *Pradére, Revol, Nguyen and Manley* 25 (1988) 69
Technique for jet-thinning aged iron-chromium alloys for TEM, *Kestel* 25 (1988) 89
Technique for preparation of TEM foils from two-phase uranium silicide, *Kestel* 25 (1988) 91
Application of the "imaging plate" to TEM recording, *Mori, Oikawa, Katoh, Miyahara and Harada* 25 (1988) 195
The use of nonporous oxide particles for imaging the shape and structure of small metal crystallites in heterogeneous catalysts, *Datye and Long* 25 (1988) 203
Three-dimensional reconstruction from electron micrographs of disordered specimens. I. Method, *Provencher and Vogel* 25 (1988) 209
Three-dimensional reconstruction from electron micrographs of disordered specimens. II. Implementation and results, *Vogel and Provencher* 25 (1988) 223
Encapsulation, diffusion and DIET in the electron microscope, *Strane, Marks, Luzzi, Buckett, Zhang and Wessels* 25 (1988) 253
Microtomography from limited projections in conventional TEM for 3D reconstruction of an intact cell, *Nelson and Hobbib* 25 (1988) 15
Determination of mutual orientation of identical particles from their projections by the moments method, *Goncharov and Gelfand* 25 (1988) 317
Jet-thinning of $YBa_2Cu_3O_x$ high T_c superconductor and also gold for TEM with a non-acid electrolyte, *Kestel* 25 (1988) 351

New developments
A compact scanning tunneling microscope, *Dietz and Herrmann* 25 (1988) 107
A scanning tunneling microscope (STM) for biological applications: design and performance, *Guckenberger, Kösslinger, Gatz, Breu, Levai and Baumeister* 25 (1988) 111

Radiation damage and contamination
Encapsulation, diffusion and DIET in the electron microscope, *Strane, Marks, Luzzi, Buckett, Zhang and Wessels* 25 (1988) 253

Reflection electron microscopy
A scanning tunneling microscope in a side-entry holder for reflection electron microscopy in the Philips EM 400, *Spence* 25 (1988) 165
Anomalous reflected images of objects on crystal surfaces in reflection electron microscopy, *Kambe* 25 (1988) 259

Scanning electron microscopy
Line resolution in the sub-ten-nanometer range in SAM, *Cazaux, Chazelas, Charasse and Hirtz* 25 (1988) 31
SEM/STM combination for STM tip guidance, *Anders, Mück and Heiden* 25 (1988) 123
Scanning tunneling and scanning electron microscopy investigations of nonuniform surfaces, *Wiesendanger, Anselmetti, Eng, Heinzelmann, Hidber, Rosenthaler, Staufer, Güntherodt, Düggelin and Guggenheim* 25 (1988) 129

Scanning transmission electron microscopy
Bright-field detection in a STEM having parallel EELS recording, *McMullan and Berger* 25 (1988) 349

Scanning tunneling microscopy
Scanning tunneling microscopy, preface, *Baumeister* 25 (1988) 99
Tip microscopy-top microscopy? An introduction, *Baumeister* 25 (1988) 103
A compact scanning tunneling microscope, *Dietz and Herrmann* 25 (1988) 107
A scanning tunneling microscope (STM) for biological applications: design and performance, *Guckenberger, Kösslinger, Gatz, Breu, Levai and Baumeister* 25 (1988) 111
SEM/STM combination for STM tip guidance, *Anders, Mück and Heiden* 25 (1988) 123
Scanning tunneling and scanning electron microscopy investigations of nonuniform surfaces, *Wiesendanger, Anselmetti, Eng, Heinzelmann, Hidber, Rosenthaler, Staufer, Güntherodt, Düggelin and Guggenheim* 25 (1988) 129
Scanning tunneling spectroscopy on Si, *Neddermeyer and Tosch* 25 (1988) 135
Restoration and pictorial representation of scanning tunneling microscope data, *Stoll and Baratoff* 25 (1988) 149
A scanning tunneling microscope in a side-entry holder for reflection electron microscopy in the Philips EM 400, *Spence* 25 (1988) 165
Miniature-size scanning tunneling microscope with integrated 2-axes heterodyne interferometer and light microscope, *Stemmer, Engel, Häring, Reichelt and Aebi* 25 (1988) 171

Specimen preparation
Technique for jet-thinning aged iron-chromium alloys for TEM, *Kestel* 25 (1988) 89
Technique for preparation of TEM foils from two-phase uranium silicide, *Kestel* 25 (1988) 91
Encapsulation, diffusion and DIET in the electron microscope, *Strane, Marks, Luzzi, Buckett, Zhang and Wessels* 25 (1988) 253
Jet-thinning of $YBa_2Cu_3O_x$ high T_c superconductor and also gold for TEM with a non-acid electrolyte, *Kessel* 25 (1988) 351

Spectrometers, auxiliary apparatus
Scanning tunneling spectroscopy on Si, *Neddermeyer and Tosch* 25 (1988) 135
High-spatial-resolution surface-sensitive electon spectroscopy using a magnetic parallelizer, *Kruit and Venables* 25 (1988) 183

Surface, clusters, interfaces and particles
Line resolution in the sub-ten-nanometer range in SAM, *Cazaux, Chazelas, Charasse and Hirtz* 25 (1988) 31
Scanning tunneling and scanning electron microscopy investigations of nonuniform surfaces, *Wiesendanger, Anselmetti, Eng, Heinzelmann, Hidber, Rosenthaler, Staufer, Güntherodt, Düggelin and Guggenheim* 25 (1988) 129
The use of nonporous oxide particles for imaging the shape and structure of small metal crystallites in heterogeneous catalysts, *Datye and Long* 25 (1988) 203
Anomalous reflected images of objects on crystal surfaces in reflection electron microscopy, *Kambe* 25 (1988) 25
Simulations for surface profile imaging, *Lu and Smith* 25 (1988) 265